

# OttoE Series

Industrial Unmanaged 8-port Fast/Gigabit Ethernet Switch



## Overview

EtherWAN's OttoE Series is an Industrial unmanaged Fast Ethernet and Gigabit Ethernet switching platform, designed for easy deployment in harsh environments with limited space. The OttoE Series is an economic easy-to-use device, which provides essential industrial Ethernet networking functionality.

The OttoE hardened series has obtained the standard certifications, and the performance and quality conform to EN 50121-4, UL 61010, CE, FCC etc. The device supports redundant power input, and provides relay alarm in case of power failure. This versatile switch features full/half-duplex auto-negotiation and auto MDI/MDIX operation, allowing for convenient connection of a variety of network devices. QoS (Quality of Service) support allows for traffic prioritization and effective management of resources.

OttoE is equipped with eight Fast/Gigabit Ethernet ports, or a combination of Fast/Gigabit Ethernet copper ports and two 100 or 100/1000 Mbps dual rate SFP ports for long distance connectivity. A rugged, fan-less, DIN rail mountable metal housing provides security and easy installation (mounting kit is included).

EtherWAN — "When Connectivity is Crucial."

## Highlight

### + Range of Operating Temperatures

Supports Industrial Grades

### + High Reliability

Fanless design

### + SFP Connectivity

Up to two 100/1000BASE SFP option

### + Quality of Service

PROFINET (TG100), EtherNet/IP

## Specifications

### + Interface

#### Ethernet

10/100BASE-TX: 8 or 6 ports  
10/100/1000BASE-TX: 8 or 6 ports  
100BASE-SFP: 0 or 2 ports  
100/1000BASE-SFP: 0 or 2 ports

#### Alarm Contact

One relay output with current 0.5A@30V

#### LED Indicators

Per Unit: Power 1 (Green), Power 2 (Green), Fault (Red)  
Per Port: Link/Activity (Green)

### + Technology

#### Standards

IEEE 802.3u 100BASE-TX/FX  
IEEE 802.3az Energy Efficient Ethernet  
IEEE 802.1p Quality of Service (QoS)  
IEEE 802.3ab 1000BASE-T  
IEEE 802.3z 1000BASE-SX/1000BASE-LX

#### Forward/Filtering Rate

14,880pps for 10Mbps  
148,810pps for 100Mbps  
1,488,100pps for 1000Mbps

#### Packet Buffer Memory

768K bits (TF100)  
1.5M bits (TG100)

#### Processing Type

Store-and-Forward  
Auto Negotiation  
Half-duplex back-pressure and IEEE  
802.3x full-duplex flow control  
Auto MDI/MDIX

#### Address Table Size

2K MAC (TF100)  
4K MAC (TG100)

### + Environmental

#### Operating Temp.

-10 to 60°C (14 to 140°F)

#### Storage Temp.

-40 to 85°C (-40 to 185°F)

#### Relative Humidity

5% to 95% (non-condensing)

### + Regulatory

#### ISO

Manufactured in ISO-9001 facility

#### EMI

FCC Part 15 Class A  
VCCI Class A  
EN 61000-6-4  
ICES-003  
EN 55032

#### EMS

EN 61000-6-2  
- EN 61000-4-2 (ESD)  
- EN 61000-4-3 (Radiated RFI)  
- EN 61000-4-4 (Burst)  
- EN 61000-4-5 (Surge)  
- EN 61000-4-6 (Induced RFI)  
- EN 61000-4-8 (Magnetic field)

#### Safety

UL 61010

#### Environmental Test Compliance

IEC 60068-2-6 Fc (Vibration)  
IEC 60068-2-27 Ea (Shock)  
FED STD 101C Method 5007.1 (Free fall w/package)

#### Industrial

EN 50121-4

## + Power

### Input

9-55VDC (Terminal Block)

### Power Consumption

3.4W max. (TF100)

5.55W max. (TG100)

### Protection

Reverse Polarity Protection

## + Physical

### Casing Material

Metal

### IP Rating

IP40

### Dimensions

45x75x100mm (W x D x H) (1.77"x2.95"x3.94")

### Weight

336g (0.74lbs)

### Installation Type

DIN-Rail (Top hat type 35mm) mounting

## + Warranty

### Length

Limited Lifetime

### Details


[www.etherwan.com/support/warranty-policy](http://www.etherwan.com/support/warranty-policy)

## + What's Included


### Device

Ethernet switch

# Dimensions



## Application



## Ordering Info

### + Model

#### Fast Ethernet Models

<b>TF100-0800</b>	8-port 10/100BASE-TX Industrial Unmanaged Ethernet Switch
<b>TF100-0602</b>	6-port 10/100BASE-TX+2-port 100BASE SFP Industrial Unmanaged Ethernet Switch

#### Gigabit Ethernet Models

<b>TG100-0800</b>	8-port 10/100/1000BASE-TX Industrial Unmanaged Ethernet Switch
<b>TG100-0602</b>	6-port 10/100/1000BASE-TX+2-port 100/1000BASE SFP Industrial Unmanaged Ethernet Switch

### + Optional Accessories

<b>HDR-30-24</b>	30W/1.5A DIN-Rail 24VDC Industrial Power Supply
<b>HDR-60-24</b>	60W/2.5A DIN-Rail 24VDC Industrial Power Supply

<b>100BASE SFP Modules</b>	<a href="http://www.etherwan.com/products/sfp-fiber-transceiver">www.etherwan.com/products/sfp-fiber-transceiver</a>
<b>Gigabit SFP Modules</b>	<a href="http://www.etherwan.com/products/sfp-fiber-transceiver">www.etherwan.com/products/sfp-fiber-transceiver</a>



© EtherWAN Systems, Inc. All rights reserved. 20240930

EtherWAN is constantly developing and improving products. Specifications are subject to change without notice and without incurring any obligation.