

EASYCELL-ANT-OUT

Outdoor LTE/Wi-Fi Antenna for EASYCELL



Overview

EtherWAN Systems, Inc. provides a wide range of excellent quality accessories including antennas, power supply adapters and mounting solutions designed to be fully compatible with EasyCell series products.

Our goal is to ensure the long-term success of customers by providing accessories that are tested, validated, and functions as intended by continuously evaluate and enhance the quality control procedures, to guarantee the integrity and performance.

In case you need a solution that is not on our list, please contact us and we will be glad to help. If you need to speak to someone directly, please call the following numbers:

Sales Support (7am-4pm PST):
(714) 779-3800, Select Option 1

Technical Support (6am-6pm PST):
(714) 779-3800, Select Option 2

Specifications

+ LTE Antenna

Frequency range

617 ~ 960, 1700 ~ 2200, 2300 ~ 2700, 3300 ~ 3800
MHz

Polarization

Vertical

Radiation pattern type

Omnidirectional

Gain

Max 4 dBi

V.S.W.R

<2.0

Impedance

50 Ω

+ Wi-Fi Antenna

Frequency range

2400 ~ 2500 MHz

Polarization

Vertical

Radiation pattern type

Omnidirectional

Gain

6 dBi

V.S.W.R

<2.0

Impedance

50 Ω

+ Environment

Operating temperature

-40 °C to 75 °C

+ Physical Specifications

Weight

1500 g

Dimensions

160mm x 189mm x 347mm (W x D x H)

Cable

3x RG316

Connector type and count

LTE Antenna: 2x SMA male

Wi-Fi Antenna: 1x RP-SMA male

Mounting method

Wall, ceiling, mast


IP rating

IP67

RoHS Compliant

Yes

Dimensions



Ordering Information

+ Part Number

EASYCELL-ANT-OUT	Outdoor LTE/Wi-Fi Antenna for EASYCELL
-------------------------	--

+ Related Products

EasyCell	Hardened 4G LTE Cellular Router with Wi-Fi, and Two RJ45 Ports
--------------------------	--

